GB1 Golden Bell Xilinx Spartan-6 EVB ISE WebPack 설치

http://www.mangoboard.com/ http://cafe.naver.com/embeddedcrazyboys Crazy Embedded Laboratory

www.mangoboard.com cafe.naver.com/embeddedcrazyboys CRZ Technology

1



Document History

Revision	Date	Change note
Init	2016-08-04	전종인

3

1.	개발 툴	설치	5
	1.1.	WebPACK 설치	6
	1.2.	라이선스 설치	.17

1. 개발 툴 설치

http://www.xilinx.com/

XILINX ALL PROGRAMMABLE.		All -	٩
APPLICATIONS	PRODUCTS	DEVELOPER ZONE	SUPPORT

http://www.xilinx.com/products/design-tools/ise-design-suite.html

APPLICATIONS	PRODUCTS	DEVELOPER ZONE	SUPPORT	ABOUT
Software Zone SDAccel Development Environment	Hardware Zone Vivado Design Suite - HLx Ed	System Zone itions MathWorks National Instruments	or Linux, Window	
SDSoC Development Environment SDNet Development Environment Embedded Development	UltraFast Design Methodolog Intellectual Property	y delive is a complete, front-to-b as created a solution that allows ree downloading and single file i	ack design flow Xilinx GO Ap convenient to Videos, Ne nstallation Download ne	p offers quick access ews, Blog, and more ow upport and Documentation
	Boards, Kits, and Modules		rogrammable SoC	

ISE Design Suite: WebPACK Edition 설치

ISE Design Suite: WebPACK Edition

ISE WebPACK delivers a complete, front-to-back design flow providing instant access to the ISE features and functionality at no cost. To learn more, please visit ISE WebPACK Design Software landing page.

http://www.xilinx.com/products/design-tools/ise-design-suite/ise-webpack.html

5

ISE WebPACK Design Software

ISE® WebPACK[™] design software is the industry's only FREE, fully featured front-to-back FPGA design solution for Linux, Windows XP, and Windows 7. ISE WebPACK is the ideal downloadable solution for FPGA and CPLD design offering HDL synthesis and simulation, implementation, device fitting, and JTAG programming. ISE WebPACK delivers a complete, front-to-back design flow providing instant access to the ISE features and functionality at no cost. Xilinx has created a solution that allows convenient productivity by providing a design solution that is always up to date with error-free downloading and single file installation.

And new in ISE Design Suite 14 - WebPACK now supports embedded processing design for the Zynq®-7000 All Programmable SoC for the Z-7010, Z-7020, and Z-7030.

Download ISE WebPACK Now!

• Download ISE WebPACK software for Windows and Linux.

ISE Design Suite - 14.7 Full Product Installation

http://www.xilinx.com/support/download/index.html/content/xilinx/en/downloadNav/design-tools.html

Full Installer for Windows (TAR/GZIP - 6.18 GB) MD5 SUM Value: 94f40553a93dfbeca642503e2721b270

"Full installer for Windows" 선택하여 다운로드 합니다. 회원가입을 해야 합니다. 회원가입 시 이메일로 계정을 활성화하는 이메일을 받을 것입니다. 받은 이메일에 링크로 가서 로그인 합니다. 다운로드 받은 파일 압축을 풉니다.

1.1. WebPACK 설치

Xsetup.exe 파일 실행합니다.

퉬 .xinstall	2016-08-10 오전	파일 폴더	
퉬 bin	2016-08-10 오전	파일 폴더	
퉬 common	2016-08-10 오전	파일 폴더	
🌗 data	2016-08-10 오전	파일 폴더	
鷆 edk	2016-08-10 오전	파일 폴더	
퉬 idata	2016-08-10 오전	파일 폴더	
鷆 ise	2016-08-10 오전	파일 폴더	
퉬 labtools	2016-08-10 오전	파일 폴더	
Microsoft.VC90.CRT	2016-08-10 오전	파일 폴더	
Microsoft.VC90.MFC	2016-08-10 오전	파일 폴더	
퉬 msg	2016-08-10 오전	파일 폴더	
퉬 planahead	2016-08-10 오전	파일 폴더	
퉬 planahead_wp	2016-08-10 오전	파일 폴더	
퉬 sysgen	2016-08-10 오전	파일 폴더	
퉬 webpack	2016-08-10 오전	파일 폴더	
🛍 autorun	2013-10-14 오전	설치 정보	1KB
∑ xinfo	2013-10-14 오전	응용 프로그램	741KB
8 xsetup	2013-10-14 오전	응용 프로그램	748KB

😻 ISE 14.7 Installer	
	Welcome
	We are glad you've chosen Xilinx as your platform development partner. This program will install ISE design environment, Software development kit or Lab tools.
DESIGN SUITE	You will need to have administrator privileges in order to install this software on Windows operating systems.
	For the product you select to install, we recommend that you identify a directory that does not contain an older installation of the same product version.
	Note - To reduce installation time, we recommend that you disable any anti-virus software before continuing.
ISE 14,7 Installer	
-> Welcome Accept License Agreements	
Select Products to Install	
Select Destination Directory	
Installation	
Copyright (c) 1995-2013 Xilinx, Inc. All rights reserved.	
brands included herein are trademarks of Xilinx, inc. All other trademarks are the property of	
their respective owner8.	
	Next > Cancel

ISE 14.7 Installer	
	Accept License Agreements (1 of 2) Please read the following terms and conditions and click the checkbox below it to indicate that you accept and agree.
DESIGN SUITE	XILINX, INC. END USER LICENSE AGREEMENT
	CAREFULLY READ THIS END USER LICENSE AGREEMENT ("AGREEMENT"). BY CLICKING THE "ACCEPT" OR "AGREE" BUTTON, OR OTHERWISE ACCESSING, DOWNLOADING, INSTALLING OR USING THE SOFTWARE, YOU AGREE ON BEHALF OF LICENSEE TO BE BOUND BY THIS AGREEMENT.
ISE 14,7 Installer	IF LICENSEE DOES NOT AGREE TO ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT, DO NOT CLICK THE "ACCEPT" OR "AGREE" BUTTON OR ACCESS, DOWNLOAD, INSTALL OR USE THE SOFTWARE; AND IF LICENSEE HAS ALREADY OBTAINED THE SOFTWARE FROM AN
Welcome -> Accept License Agreements Select Products to Install Relat Install	AUTHORIZED SOURCE, PROMPTLY RETURN IT FOR A REFUND. 1. Definitions
Select Destination Directory	"Authorization Codes" means any FLEXIm license key, license file, license manager, dongle or other key, code or information issued by (or on behalf of) Xilinx that is necessary to download, install, operate and/or regulate User access to the applicable Software.
	 I accept and agree to the terms and conditions above I also accept and agree to the following terms and conditions
Copyright (c) 1995-2013 Xilinx, inc. All rights reserved. XILINX, the Xilinx logo and other designated brands included herein are trademarks of Xilinx, inc. All other trademarks are the property of their respective owners.	I also confirm that I have read Section 13 of the terms and conditions above concerning WebTalk and have been afforded the opportunity to read the WebTalk FAQ posted at http://www.xilinx.com/ise/webtalk/, I understand that I am able to disable WebTalk later if certain criteria described in Section 13(c) apply. If they don't apply, I can disable WebTalk by uninstalling the Software or using the Software on a machine not connected to the internet, If I fail to satisfy the applicable criteria or if I fail to take the applicable steps to prevent such transmission of information, I agree to allow Xilinx to collect the information described in Section 13(a) for the purposes described in Section 13(b),
	< Back Next > Cancel

ISE 14.7 Installer	
	Accept License Agreements (2 of 2)
	Please read the following terms and conditions and click the checkbox below it to indicate that you accept and agree.
DESIGN SUITE	CAREFULLY READ THIS COLLECTION OF INFORMATION AND LICENSE AGREEMENTS. BY CLICKING THE "ACCEPT" OR "AGREE" BUTTON, OR OTHERWISE ACCESSING, DOWNLOADING, INSTALLING OR USING THE SOFTWARE, YOU AGREE ON BEHALF OF LICENSEE TO BE BOUND BY THIS INFORMATION AND LICENSE AGREEMENTS (TO THE EXTENT APPLICABLE TO THE SPECIFIC SOFTWARE YOU OBTAIN AND THE SPECIFIC MANNER IN WHICH YOU USE SUCH SOFTWARE).
ISE 14.7 Installer	IF LICENSEE DOES NOT AGREE TO ALL OF THE INFORMATION AND LICENSE AGREEMENTS BELOW, DO NOT CLICK THE "ACCEPT" OR "AGREE" BUTTON OR ACCESS, DOWNLOAD, INSTALL OR USE THE SOFTWARE; AND IF LICENSEE HAS ALREADY OBTAINED THE SOFTWARE FROM AN AUTHORIZED SOURCE, PROMPTLY RETURN IT FOR A REFUND.
Welcome	Part One: Overview.
-> Accept License Agreements Select Products to Install Select Installation Options	The following information applies to certain items of third-party technology that are included along with certain Xilinx software tools.
Select Destination Directory	The Xilinx Embedded Development Kit (EDK) is a suite of software and other technology that enables Licensee to design a complete embedded processor system for use in a Xilinx Device. EDK includes, among other components, (a) the Xilinx Platform Studio (XPS), which is the development environment, or GUI, used for designing the hardware portion of an embedded processor system; and (b) the Xilinx Software Development Kit (SDK), which is an integrated development environment, complementary to XPS, that is used to create and verify C/C++ embedded software applications. SDK is also made available separately from EDK.
Copyright (c) 1995-2013 Xillinx, inc. All rights reserved. XiLINX, the Xillinx logo and other designated brands included herein are trademersk of Xilinx, inc. All other trademersk are the property of their reapective owners.	Licensee's use of the GNU compilers (including associated libraries and utilities) that are supplied with SDK may cause Licensee's software application (or board-support package) to be governed by certain third-party "open source" license agreements, as further described below. Licensee can avoid I accept and agree to the terms and conditions above
	<pre>Cancel</pre> Cancel

ISE 14.7 Installer	
DESIGN SUITE	Select Products to Install Edition List ISE Design Suite Logic Edition ISE Design Suite Embedded Edition ISE Design Suite DSP Edition ISE Design Suite System Edition Lab Tools - Standalone Installation
ISE 14.7 Installer Welcome Accept License Agreementa -> Select Products to Install Select Installation Options Select Destination Directory Installation	Disk Space Required : 17480 MB Description of ISE WebPACK ISE WebPACK contains the most important tools you need for designing CPLDs and small to medium-sized FPGAs. Includes: ISE Design Tools (w/reduced device support), PlanAhead, Connectivity DSP IP. ChipScope Pro and The Embedded Development Kit will also be installed with WebPACK but are licensed separately (not included in a WebPACK
Copyright (c) 1995-2013 Xillinx, inc. All rights reserved. XILINX, the Xillinx logo and other designated brands included herein are trademarks of Xillinx, Inc. All other trademarks are the property of their respective owners.	license file).

"ISE WebPACK" 선택

😻 ISE 14.7 Installer	
	Select Installation Options Select the desired installation options below. Selection of these options may result in additional programs being run at the conclusion of the installation process.
	Use multiple CPU cores for faster installation Enabling this option will speed up installation but may slow down other active applications,
	Acquire or Manage a License Key Install WinPCap for Ethernet Hardware Co-simulation
	 Install Cable Drivers Enable WebTalk to send software, IP and device usage statistics to Xilinx (Always enabled for
ISE 14,7 Installer	
Welcome Accept License Agreements	۲
Select Products to Install	Select/Deselect All
-> Select Installation Options Select Destination Directory Installation	Description of Acquire or Manage a License Key
	Most Xilinx applications now require a license key file in order to run. If this selection is enabled, the Xilinx License Configuration Manager will be opened in order to assist you either in acquiring a new license file or in managing an existing license file. If this is your first time using Xilinx ISE Design Suite 14.7, it is highly recommended that you use this application to acquire or install your license file.
Copyright (c) 1995-2013 XIIInx, inc. All rights reserved. XILINX, the XIIInx logo and other designated brands included herein artrademarks of XIIInx, inc. All other trademarks are the property of their respective owners.	
	< Back Next > Cancel

ts ISE 14.7 Installer	
	Select Destination Directory
	Select the directory where you want the software installed.
	C:₩Xilinx Browse
DESIGN SOILE	Install location(s) : C:₩Xilinx₩14.7₩ISE_DS
	Disk Space Required : 17480 MB
	Disk Space Available : 341467 MB
ISE 14,7 Installer	
Welcome Accept License Agreements	
Select Products to Install Select Installation Options	Create Start Menu and Desktop Icons
-> Select Destination Directory	Select a Program Folder
Installation	This name will appear in the Start Menu > Programs list.
	Xilinx Design Tools 🗸 🗸
	✓ Tool preferences and file association
	Import tool preferences from previous version and change project file association to ISE WebPACK 14,7
Copyright (c) 1995-2013 Xillinx, Inc. All right reserved. XILINX, the Xillinx logo and other designate brands included herein are trademarks of Xillin Inc. All other trademarks are the property (their respective owners.	ta Ad X. of
	< Back Next > Cancel

ISE 14.7 Installer	
	Installation Options Summary
DESIGN SUITE	Install Location(s): C:\Xilinx\14.7\ISE_DS Edition : ISE WebPACK Program Group: Xilinx Design Tools Option: Acquire or Manage a License Key
ISE 14,7 Installer	ISE DS Common Install Location: C:\XiInx\14.7\ISE_DS\common Module: ISE DS Common Option: Script to install VC++ runtime libraries for 32-bit OS Option: Script to install VC++ runtime libraries for 64-bit OS
Welcome Accept License Agreements Select Products to Install Belect Installistico Ontione	EDK Install Location: C:\Xilinx\14.7\ISE_DS\EDK Module: EDK Option: MB Linux Toolchain post-install
Select Destination Directory	PlanAhead Analysis Tool Install Location: C:\Vilinx\14.7\ISE_DS\PlanAhead Module: PlanAhead Files Option: setupEnv.bat
Conviont (c) 1985-2013 Villov, Inc. All riphts	ISE Install Location: C:\Xilinx\14.7\ISE_DS\ISE Module: Design Environment Tools Module: WebPACK Devices Option: Install WinPCap for Ethemet Hardware Co-simulation Option: Install Windows System Generator Info XML
Copyrgin (c) respective and cher designated reserved. XIIINX, the XIIInx logo and other designated brands included herein are trademarks of XIIInx, inc. All other trademarks are the property of their respective owners.	Option: Install Cable Drivers Option: Enable WebTalk to send software, IP and device usage statistics to Xilinx (Always enabled for WebPACK license)
	< Back Install Cancel

"Install" 선택하면 설치를 시작합니다.



💮 WinPcap 4.1.1 Setup		\Leftrightarrow	
Win Pcap	WinPcap 4.1.1 Installe Welcome to the WinPcap	r 4. 1. 1 Installation Wiza	rd
This prod	uct is brought to you by	CAC	É IIES
Packet Captur	ing and Network	Analysis Solut	tions
Nullsoft Install System v2.45 –		Next >	Cancel

WinPcap 4	1.1 Setup
<u>^</u>	A newer version of WinPcap (internal version 4.1.0.2980) is already installed on this machine. The installation will be aborted.
	확인





1.2. 라이선스 설치

참조

http://taoist29.tistory.com/entry/Xilinx-ISE-WebPack-144-%EC%84%A4%EC%B9%98

Xilinx License Configuration Manager	
Acquire a License Manage License	es Borrow/Restore Licenses Return Licenses Internet Settings
Select one of the following options	
💿 Start Now! - 30 Day Trial (No Bitst	ream)
Get Free Vivado/ISE WebPack Lic	ense
Start 30 Day Evaluation	
Get My Purchased License(s)	
Locate Existing License(s)	
-Description of the above selected optic	n
Get a free Vivado/ISE WebPack licen can generate a license for Vivado/ISI open to enable you to configure your supported devices and applications, Note: WebTalk is always enabled for generated using the WebPACK licens available, the WebPACK license will i	se and start using your Xilinx software, You will be taken to the Xilinx website where you E WebPack, Once your license file is generated, the "Manage Xilinx Licenses" tab will system to use the license, For more information on Vivado/ISE WebPack, including please visit www, xilinx.com, WebPACK users, WebTalk ignores user and install preference when a bitstream is se. If a design is using a device contained in WebPACK and a WebPACK license is always be used. To change this, please see Answer Record 34746,
About,	Next Close
I Xilinx License Configuration Manag	jer 🛛 🔍
Local System Information	
Hostname: Network Interface Card (NIC) ID: C: Drive Serial Number: FLEXID Dongle ID:	MSDN-SPECIAL 00ff7ae01bee,00ff4798997f,005056c00008,f46d04ef7d8d,005056c00001,02004c4f4f50 26f47a2d
	Connect Now Save Information Cancel

http://www.xilinx.com/support/licensing_solution_center.html

접속해서 로그인 후

Obtain a license for Free or Evaluation product

 Free or Evaluation Product Licenses - After completing the installation of Vivado, SDx or ISE Design Suite, the Xilinx License Configuration Manager (XCLM) will start automatically and guide you through the licensing process.

You may also go directly to the Xilinx Product Licensing Site to obtain licenses for free or evaluation products if you decided to skip this step during product installation.

Certificate Based Licenses

Product	Туре	License	Available Seats	Status	Subscription End Date
Vivado Design Suite: HL WebPACK 2015 and Earlier License	Certificate - No Charge	Node	1/1	Current	None
Vivado Design Suite (No ISE): 30-Day Evaluation License	Certificate - Evaluation	Node	1/1	Current	30 days
ISE WebPACK License	Certificate - No Charge	Node	1/1	Current	None
PetaLinux Tools License	Certificate - Evaluation	Node	1/1	Current	365 days
Vivado HLS Evaluation License	Certificate - Evaluation	Node	1/1	Current	30 days
<					>
Generate Node-Locked License					

선택 후

Generate Node License

Fields marked with an asterisk * are required.

1 PRODUCT SELECTION

Product		Product	Туре	Available Seats	Subscription End Date	Requested Seats	Borrowe Seats	ed
*	V	ISE WebPACK License	No Charge	1/1	None	1		*
								Ψ.
							►	

2 SYSTEM INFORMATION

License	Node
Host ID *?	Any

3 COMMENTS



Generate Node License

4 REVIEW LICENSE REQUEST

Product Selections

	Product	Subscription End Date	Available Seats	Requeste Seats	d	
ISE WebPACK License			1/1	1		*
						Ŧ
System Information					•	-
License	Node					
Host ID	ANY					

Note: WebTalk is always enabled for WebPACK users. WebTalk ignores user and install preference when a bitstream is generated using the WebPACK license. If a design is using a device contained in WebPACK and a WebPACK license is available, the WebPACK license will always be used. To get additional information on WebTalk, go to www.xilinx.com/webtalk.



"Next"를 선택하면 , 계정 만들 때 이메일로 라이선스를 보내줍니다.

[메일의 일부입니다.] 전체 메일 보기



다운로드 합니다. 다운받은 위 파일을 아래 폴더에 저장하였습니다.

C:₩Xilinx₩14.7

Acquire a License	Manage Licenses	Borrow/Restore Licenses	Return Licenses	Internet Settings
Load License	ools and IP, or copy a atically detect valid no g server incense, or w	certificate-based license (,lic de-locked licenses (+ lic) resi	file) into the local .> iding in the local .Xili	secone or me

Load License 버튼을 눌러서 C:₩Xilinx₩14.7₩Xilinx.lic 선택



Instructions: Click the machine for Xilinx to applications automatic Load License To point to a floating environment variable Examples: 1234@str XILINXD_LICENSE_	he "Load License" ools and IP, or co atically detect valid g server license, o es below, (Linux erver;C:\Hicenses FILE	button to py a certi d, node-lo pr to point users wil ₩Xilinx,li	either load ficate-base ocked licens to license t need to ma c (Windows	a response i d license (,li ses (*,lic) re illes in locatio ake these se s) or 1234@s	XML file into c file) into t siding in the ons other the ttings outsid erver:/usr/lo) XLCM to he local , local , Xil an , Xilinx, le of this a ocal/flexIr	activate your Xilinx directory, Xilinx inx directory, set one of the opplication,) n (Linux)
LM_LICENSE_FILE						S	et
HIDDEN	🔽 Hide Buil	t-in Free	Licenses				Clear Cache
Feature	S/W or IP Core	Version Limit	Expiration Date	License Type	Count	Licenses In Use	Information
RGB2YCKCB_Classic	ть:волдиг	2013.10	Permanent	подеюскей	oncounted		License_type.Bough
SDK	S/W	2017.05	Permanent	Nodelocked	Uncounted		yhoh,ISE_WebPACK,
XAUI	IP:Bought	2010.08	Permanent	Nodelocked	Uncounted		License_Type:Bough
XC7Z020	S/W	2017.05	Permanent	Nodelocked	Uncounted		yhoh,ISE_WebPACK,
S6_PCIE_classic	IP:Bought	2010.08	Permanent	Nodelocked	Uncounted		License_Type:Bough
xps_most_nic_v1	IP:Hardware_Ev	1.0	30-jan-2	Nodelocked	Uncounted		License_Type:Hardw
PCIE_BLK_PLUS_cla	IP:Bought	2010.08	Permanent	Nodelocked	Uncounted		License_Type:Bough
XC7Z030	S/W	2017.05	Permanent	Nodelocked	Uncounted		yhoh,ISE_WebPACK,
can	IP:Design_Linking	2013.06	Permanent	Nodelocked	Uncounted		License_Type:Design
xps_usb_host_v1	IP:Hardware_Ev	1.0	30-jan-2	Nodelocked	Uncounted		License_Type:Hardw.
•	III						۱.
– Local System Inforr Hostname: Network Interface C C: Drive Serial Nurr FLEXID Dongle ID:	mation MS Card (NIC) ID: 00ff aber: 26f	DN-SPE(7ae01bee 47a2d	CIAL 9,00ff4798997	Y, 005056c 0001	08,f46d04ef7(18d,005056	6c00001,02004c4f4f50

ISE 14.7 Installer [100%]		
	Install Completed Congratulations! You have successfully installed Xilinx ISE WebPACK.	
DESIGN SUITE	The environment variables are written to the settings[32 64].bat file at "C:\Xilinx\14.7" set the variables in your environment, you must run the settings[32 64].bat file.	ISE_DS". In order to
ISE 14,7 Installer Welcome		
Accept License Agreements Select Products to Install Select Installation Options		
Select Destination Directory		
Copyright (c) 1995-2013 Xillinx, Inc. All rights reserved. XILINX, the Xillink logo and other designated brands included herein are trademarks of Xillink, Inc. All other trademarks are the property of their respective owners.		
		Finish